

COMMAX

Overview



VIDEO PHONE SYSTEM

DRC-40CS/BS Color/B/W Door Camera

COMMAX has been dedicating to develop optimal cameras for user's perfect satisfaction. COMMAX laboratory would never stop to make better quality-oriented products. COMMAX' door camera has been upgrading to secure no transmutation of materials in the field, innovative designs and easy installation. It features an infrared detector and a LED lamp for identification at night

Features




4 Wire Connection

4 wired type Color Door camera allowing to change with old camera

Surface mounted type


Easy to replace from other brand cameras as its surface mounting type



Spec

▶ Power Source	DC14V
▶ Mounting type	Surface mounted type
▶ Image sensor	Color CCD
▶ Wiring	4 wires
▶ Dimension	Without bracket : 94X136X34mm With Bracket : 100 X142X36mm
▶ Adjustment range	Left-right: $\pm 15^\circ$ Up-down : $\pm 15^\circ$
▶ Distance	50m(0.65 Φ), 28m(0.5 Φ)
▶ Temperature	-10($^\circ$ C)~50($^\circ$ C)

Function



4 wire B/W and Color camera



Surface mounted type camera



CCD and Color B/W



Illumination: 0 LUX (White LED ON)




PAL or NTSC Selectable




Measurements/ Installation diagram/ Wiring diagram, etc.



+ Measurements



+ Installation diagram



 Gallery



 Installation example



Entrance



(462-120) 513-11 SANGDAEWON-DONG, JUNGWON-GU, SEONGNAM-SI, GYEONGGI-DO, KOREA
TEL : 82-31 - 731-8791~5 FAX : 82-31 - 731- 8796~7 E-MAIL : ischoi@commax.co.kr

COPYRIGHT (C) 2009 BY COMMAX.COM ALL RIGHTS RESERVED