

COMMAX

Overview




VIDEO PHONE SYSTEM

DRC-nAC2 Multiple Door Camera

COMMAX has been dedicating to develop optimal cameras for user's perfect satisfaction. COMMAX laboratory would never stop to make better quality-oriented products. COMMAX' door camera has been upgrading to secure no transmutation of materials in the field, innovative designs and easy installation. It features an infrared detector and a LED lamp for identification at night



Features



Multiple Door Camera

It is applicable with multiplex house(Max. 16 houses)

Flush mounted type

It is applicable to new house



Spec

| | |
|------------------|----------------------------------|
| ➤ Power Source | DC14V |
| ➤ System type | Individual Multiple door cameras |
| ➤ Extension Unit | 4 wired Video door phones |
| ➤ Mounting type | Surface mounted type |
| ➤ Image sensor | Color CCD(nAC2) |
| ➤ Wiring | Individual 4 wires |
| ➤ Dimension | 123X316X16(59)mm |
| ➤ Distance | 50m(0.65Φ), 28m(0.5Φ) |
| ➤ Temperature | -10(°C)~50(°C) |



Function



Common wiring typed B/W and Color camera



Flush mounted type camera

B/W and Color CCD



Illumination: 0 LUX (White LED ON)



Multiple door camera




PAL or NTSC Selectable



Measurements/ Installation diagram/ Wiring diagram, etc.





+ Measurements



+ Installation diagram

+ Wiring diagram



Gallery



COMMAX

(462-120) 513-11 SANGDAEWON-DONG, JUNGWON-GU, SEONGNAM-SI, GYEONGGI-DO, KOREA
TEL : 82-31 - 731-8791~5 FAX : 82-31 - 731- 8796~7 E-MAIL : ischoi@commax.co.kr

COPYRIGHT (C) 2009 BY COMMAX.COM ALL RIGHTS RESERVED